ANNUAL WATER QUALITY REPORT

WATER TESTING PERFORMED IN 2015

Presented By

Old North Utility Services, Inc.
A Subsidiary of American States Utility Services, Inc.

PWS ID#: NC 50-26-019

Meeting the Challenge

Once again we are proud to present our annual drinking water report, covering all drinking water testing performed between January 1 and December 31, 2015. Over the years, we have dedicated ourselves to producing drinking water that meets all state and federal standards. We continually strive to adopt new methods for delivering the best quality drinking water to your homes and businesses. As new challenges to drinking water safety emerge, we remain vigilant in meeting the goals of source water protection, water conservation, and community education while continuing to serve the needs of all of our water users.

Please remember that we are always available to assist you, should you ever have any questions or concerns about your water.

For more information about this report, or for any questions relating to your drinking water, please call Amanda Owens, Operations Support Manager of Old North Utility Services, Inc., at (910) 495-1311.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791 or http://water.epa.gov/drink/hotline.

Substances That Could Be in Water

To ensure that tap water is safe to drink, the U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, in some cases, radioactive material, and substances resulting from the presence of animals or from human activity. Substances that may be present in source water include:

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife;

Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and may also come from gas stations, urban stormwater runoff, and septic systems;

Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

When You Turn on Your Tap, Consider the Source

Fort Bragg customers are fortunate because we enjoy an abundant water supply from two sources, the Harnett County Water Treatment Plant and the Fayetteville Public Works Commission Water Treatment Plant. Both Water Treatment Plants are located within the Cape Fear River Basin.

Source Water Assessment

The North Carolina Department of Environment and Natural Resources (DENR), Public Water Supply Section (PWS), Source Water Assessment Program (SWAP) conducted assessments for all drinking water sources across North Carolina. The purpose of the assessments was to determine the susceptibility of each drinking water source (well or surface water intake) to Potential Contaminant Sources (PCSs). The results of the assessment are available in SWAP Assessment Reports that include maps, background information, and relative susceptibility rating of higher, moderate, or lower. The relative susceptibility rating of each source for Old North Utility Services, Inc. - Fort Bragg was determined by combining the contaminant rating (number and location of PCSs within the assessment area) and the inherent vulnerability rating (i.e., characteristics or existing conditions of the watershed and its delineated assessment area). The assessment findings are summarized below:

SUSCEPTIBILITY OF SOURCES TO POTENTIAL CONTAMINANT SOURCES (PCSs)	
SOURCE NAME	SUSCEPTBILITY RATING
Harnett County (Cape Fear River)	Higher
Fayetteville PWC (Cape Fear River)	Higher
Fayetteville PWC (Glenville Lake)	Higher

The complete SWAP Assessment report for Old North Utility Services, Inc. may be viewed on the Web at: http://www.ncwater.org/pws/swap. Please note that because SWAP results and reports are periodically updated by the PWS Section, the results available on this Web site may differ from the results that were available at the time this CCR was prepared. To obtain a printed copy of this report, please mail a written request to: Source Water Assessment Program – Report Request, 1634 Mail Service Center, Raleigh, NC 27699-1634, or email a request to swap@ncdenr.org. Please indicate your system name, PWSID, and provide your name, mailing address, and phone number. If you have any questions about the SWAP report, please contact the Source Water Assessment staff by phone at (919) 707-9100. It is important to understand that a susceptibility rating of "higher" does not imply poor water quality, only the systems' potential to become contaminated by PCSs in the assessment area.

Lead in Home Plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/lead.

Sampling Results

During the past year, we have taken hundreds of water samples to determine the presence of any radioactive, biological, inorganic, volatile organic, or synthetic organic contaminants. The table below shows only those contaminants that were detected in the water. The state requires us to monitor for certain substances less often than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

We participated in the 3rd stage of the EPA's Unregulated Contaminant Monitoring Rule (UCMR3) program by performing additional tests on our drinking water. UCMR3 benefits the environment and public health by providing the EPA with data on the occurrence of contaminants suspected to be in drinking water, in order to determine if the EPA needs to introduce new regulatory standards to improve drinking water quality.

REGULATED SUBSTANCES

				Fayetteville PWC NC 03-26-010		Harnett County NC 03-43-045		Old North Utility Services, Inc NC 50-26-019			
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	MCL [MRDL]	MCLG [MRDLG]	AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE
Chloramines (ppm)	2015	[4]	[4]	2.90	2.50–3.35	3.04	1.03–3.99	2.55	1.04–3.2	No	Water additive used to control microbes
Chlorine (ppm)	2015	[4]	[4]	2.17	1.03–2.17	1.65	0.025–3.62	1.9	0.06–7.6	No	Water additive used to control microbes
Chlorine Dioxide (ppb)	2015	[800]	[800]	NA	NA	82	ND–565	NA	NA	No	Water additive used to control microbes
Chlorite (ppm)	2015	1	0.8	NA	NA	0.326	0.270–0.360	NA	NA	No	By-product of drinking water disinfection
Fluoride (ppm)	2015	4	4	0.710	0.30–0.91	0.54	NA	NA	NA	No	Erosion of natural deposits; Water additive that promotes strong teeth; Discharge from fertilizer and aluminum factories
Haloacetic Acids [HAA] (ppb)	2015	60	NA	32	18–35	27.3	8.7–35.4	25	ND–47	No	By-product of drinking water disinfection
TTHMs [Total Trihalomethanes] (ppb)	2015	80	NA	52	30–73	33.5	19–50	39	10–62	No	By-product of drinking water disinfection
Total Coliform Bacteria (% positive samples)	2015	5% of monthly samples are positive	NA	0.81	NA	2.1	NA	1.369	NA	No	Naturally present in the environment
Total Organic Carbon [TOC][1] (removal ratio)	2015	TT	NA	2.04	1.07–2.70	1.36	1.13–1.52	NA	NA	No	Naturally present in the environment
Turbidity[2] (NTU)	2015	TT = 1 NTU	NA	0.28	0.03–0.28	0.1	ND–0.1	NA	NA	No	Soil runoff
Turbidity (Lowest monthly percent of samples meeting limit)	2015	TT = 95% of samples < 0.3 NTU	NA	100	NA	100	NA	NA	NA	No	Soil runoff

Tap water samples were collected for lead and copper analyses from sample sites throughout the community

				Fayetteville PWC NC 03-26-010		Harnett County NC 03-43-045		Old North Utility Services, Inc NC 50-26-019			
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AL	MCLG	AMOUNT DETECTED (90TH%TILE)	SITES ABOVE AL	AMOUNT DETECTED (90TH%TILE)	SITES ABOVE AL	AMOUNT DETECTED (90TH%TILE)	SITES ABOVE AL	VIOLATION	TYPICAL SOURCE
Copper (ppm)	2014	1.3	1.3	<0.0	0	0.098[3]	NA[3]	0	0	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead (ppb)	2014	15	0	1.0	3	ND[3]	0[3]	0	0	No	Corrosion of household plumbing systems; Erosion of natural deposits

UNREGULATED SUBSTANCES

		Fayetteville PWC NC 03-26-010		Harnett County NC 03-43-045		Old North Utility Services, Inc NC 50-26-019		
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH	TYPICAL SOURCE
Bromodichloromethane (ppb)	2015	13.88	13.00–15.00	NA	NA	NA	NA	Associated with chlorine disinfection
Chlorodibromomethane (ppb)	2015	5.34	5.00–6.00	NA	NA	11[3]	ND–25[3]	Associated with chlorine disinfection
Chloroform (ppb)	2015	20.75	18.00–22.00	NA	NA	NA	NA	Associated with chlorine disinfection
Sodium (ppm)	2014	11.73	NA	22.89[4]	NA[4]	NA	NA	Erosion of natural deposits; Chemical use in water treatment
Sulfate (ppm)	2014	34.7	NA	NA	NA	NA	NA	NA

SECONDARY SUBSTANCES - HARNETT COUNTY

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	SMCL	MCLG	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE
Manganese (ppb)	2015	50	NA	12	NA	No	Leaching from natural deposits
pH (Units)	2015	6.5-8.5	NA	7.2	6.5–8.5	No	Naturally occurring
Sulfate (ppm)	2015	250	NA	31.5	NA	No	Runoff/leaching from natural deposits; Industrial wastes

DISINFECTION BY-PRODUCTS (BY SAMPLE LOCATION)

		Fayetteville PWC NC 03-26-010		Harnett County NC 03-43-045		Old North Utility Services, Inc NC 50-26-019	
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH
HAA5 B01 (ppb)	2015	32	18–31	27.3	13.7–28.9	20	14–24
HAA5 B02 (ppb)	2015	32	19–33	27.3	12.9–33.1	17	2–23
HAA5 B03 (ppb)	2015	32	19–31	27.3	11.9–29.2	30	19–47
HAA5 B04 (ppb)	2015	32	19–35	27.3	12.6–30.9	25	19–40
HAA5 B05 (ppb)	2015	32	18–28	27.3	13.2–31.6	12	ND–26
HAA5 B06 (ppb)	2015	32	20–28	27.3	8.7–33.5	25	21–34
HAA5 B07 (ppb)	2015	32	18–29	27.3	13.1–25.7	25	16–43
HAA5 B08 (ppb)	2015	32	18–33	27.3	13.9–35.4	17	6–23
TTHM B01 (ppb)	2015	52	31–68	33.5	27–49	38	21–50
TTHM B02 (ppb)	2015	52	35–67	33.5	23–50	38	26–50
TTHM B03 (ppb)	2015	52	35–73	33.5	20–43	38	28–50
TTHM B04 (ppb)	2015	52	33–67	33.5	26–49	38	28–62
TTHM B05 (ppb)	2015	52	34–71	33.5	23–49	36	10–49
TTHM B06 (ppb)	2015	52	30–68	33.5	22–43	38	25–56
TTHM B07 (ppb)	2015	52	35–69	33.5	19–38	34	24–53
TTHM B08 (ppb)	2015	52	32–65	33.5	27–48	38	28–53

UNREGULATED CONTAMINANT MONITORING RULE PART 3 (UCMR3)

		Harnett County NC 03-43-045		Old North Utility Services, Inc NC 50-26-019	
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH
1,4-Dioxane (ppb)	2014	3.65[5]	2.5–4.8[5]	2.39	ND–4.2
Chlorate (ppb)	2015	255	220–290	290[3]	ND–310[3]
Hexavalent Chromium (ppb)	2013	0.035[4]	0.03–0.04[4]	0.031	ND–0.034
Perflurohepatonic Acid (PFHpA) (ppb)	2013	0.04	0.04–0.04	NA	NA
Strontium (ppb)	2013	46.5[4]	46–47[4]	50	49–51
Vandium (ppb)	2013	0.19	0.02–0.03	NA	NA

[1] Depending on the TOC in our source water, the system MUST have a certain % removal of TOC or must achieve alternative compliance criteria. If we do not achieve that % removal, there is an alternative % removal. If we fail to meet the alternative %removal, we are in violation of a Treatment Technique.

[2] Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system. The turbidity rule requires that 95% or more of the monthly samples must be less than or equal to 0.3 NTU.

[3] Sampled in 2013.

[4] Sampled in 2015.

[5] Sampled in 2014.

Definitions

AL (Action Level): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

LRAA (Locational Running Annual Average): The average of sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters under the Stage 2 Disinfectants and Disinfection Byproducts Rule.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MFL (million fibers per liter): A measure of the presence of asbestos fibers that are longer than 10 micrometers.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable

ND (Not detected): Indicates that the substance was not found by laboratory analysis.

NTU (Nephelometric Turbidity Units): Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

ppm (parts per million): One part substance per million parts water (or milligrams per liter).

removal ratio: A ratio between the percentage of a substance actually removed to the percentage of the substance required to be removed.

SMCL (Secondary Maximum Contaminant Level): SMCLs are established to regulate the aesthetics of drinking water like taste and odor.

TT (Treatment Technique): A required process intended to reduce the level of a contaminant in drinking water.